SUBJECT INDEX

b = Book review; *L* = Letter to the Editor; *sc* = Short Communication

PII: S003–4878(99)00096–4

Aerodynamic diameter, Mineral fibre sampling and size selection 117–124
Agriculture, Personal exposure to dust, endotoxin and crystalline silica in California agriculture 35–42
Airborne contaminants, Modeling breathing-zone concentrations of airborne contaminants generated during compressed air spray painting 67–76
Airborne fibres, Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527–541
Amosite, Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527–541
Amphibole
Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres 493–496^{L}, 496–498^{L}
My amphibole fibre exposure 285–286^{L}
Antioxidants, Mechanisms and mediators in coal dust induced toxicity: a review 7–33
Arsenic, Exposure to preservatives used in the industrial pre-treatment of timber 543–555
Asbestos
1998 and beyond - Legge's legacy to modern occupational health 1–6
Chrysotile, tremolite and fibrogenicity 439–442
Expert system for the evaluation of historical asbestos exposure as diagnostic criterion in asbestos-related diseases 57–66
Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres 493–496^{L}, 496–498^{L}
Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527–541
My amphibole fibre exposure 285–286^{L}

Benzoquinone, Determination of hydroquinone in air by high performance liquid chromatography 131–141
Bioaerosols, Field testing of a personal size-selective bioaerosol sampler 393–404
Biological monitoring, Preliminary external quality assessment for the biological monitoring of carbon disulfide with urinary 2-thiothiazolidine-4-carboxylic acid 125–130
Breathing-zone concentrations, Modeling breathing-zone concentrations of airborne contaminants generated during compressed air spray painting 67–76

California, Personal exposure to dust, endotoxin and crystalline silica in California agriculture 35–42
CAPTIV, Correlation of the exposure to a pollutant with a task-related action or workplace: the CAPTIV system 221–233
Checklist, Measuring housekeeping in manufacturing industries 91–97
Cherry, Nicola, President of the BOHS 1998–1999 81
China, Retrospective exposure assessment in large occupational cohort studies in China: advantages and concerns 377–379
Chromium
1998 and beyond - Legge's legacy to modern occupational health 1–6
Exposure to preservatives used in the industrial pre-treatment of timber 543–555
Chrysotile
Chrysotile, tremolite and fibrogenicity 439–442
Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres 493–496^{L}, 496–498^{L}
Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527–541
Clothing *see* Protective clothing
Cluster analysis, Hierarchical cluster analysis applied to workers' exposures in fiberglass insulation manufacturing 43–55
Coal dust, Mechanisms and mediators in coal dust induced toxicity: a review 7–33
Collagens, Mechanisms and mediators in coal dust induced toxicity: a review 7–33
Compensation
1998 and beyond - Legge's legacy to modern occupational health 1–6
An expert system for the evaluation of historical asbestos exposure as diagnostic criterion in asbestos-related diseases 57–66
Construction, Measurements of the effectiveness of dust control on cut-off saws used in the construction industry 443–456
Contact dermatitis, Substitution of organic solvent cleaning agents in the lithographic printing industry 83–90, 429^{L}, 430^{L}
Convection, Clothing convective heat exchange - proposal for improved prediction in standards and models 329–337
Copper, Exposure to preservatives used in the industrial pre-treatment of timber 543–555

SUBJECT INDEX

b = Book review; *L* = Letter to the Editor; *sc* = Short Communication

PII: S003–4878(99)00096–4

Aerodynamic diameter, Mineral fibre sampling and size selection 117–124
Agriculture, Personal exposure to dust, endotoxin and crystalline silica in California agriculture 35–42
Airborne contaminants, Modeling breathing-zone concentrations of airborne contaminants generated during compressed air spray painting 67–76
Airborne fibres, Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527–541
Amosite, Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527–541
Amphibole
Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres 493–496^{L}, 496–498^{L}
My amphibole fibre exposure 285–286^{L}
Antioxidants, Mechanisms and mediators in coal dust induced toxicity: a review 7–33
Arsenic, Exposure to preservatives used in the industrial pre-treatment of timber 543–555
Asbestos
1998 and beyond - Legge's legacy to modern occupational health 1–6
Chrysotile, tremolite and fibrogenicity 439–442
Expert system for the evaluation of historical asbestos exposure as diagnostic criterion in asbestos-related diseases 57–66
Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres 493–496^{L}, 496–498^{L}
Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527–541
My amphibole fibre exposure 285–286^{L}

Benzoquinone, Determination of hydroquinone in air by high performance liquid chromatography 131–141
Bioaerosols, Field testing of a personal size-selective bioaerosol sampler 393–404
Biological monitoring, Preliminary external quality assessment for the biological monitoring of carbon disulfide with urinary 2-thiothiazolidine-4-carboxylic acid 125–130
Breathing-zone concentrations, Modeling breathing-zone concentrations of airborne contaminants generated during compressed air spray painting 67–76

California, Personal exposure to dust, endotoxin and crystalline silica in California agriculture 35–42
CAPTIV, Correlation of the exposure to a pollutant with a task-related action or workplace: the CAPTIV system 221–233
Checklist, Measuring housekeeping in manufacturing industries 91–97
Cherry, Nicola, President of the BOHS 1998–1999 81
China, Retrospective exposure assessment in large occupational cohort studies in China: advantages and concerns 377–379
Chromium
1998 and beyond - Legge's legacy to modern occupational health 1–6
Exposure to preservatives used in the industrial pre-treatment of timber 543–555
Chrysotile
Chrysotile, tremolite and fibrogenicity 439–442
Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres 493–496^{L}, 496–498^{L}
Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527–541
Clothing *see* Protective clothing
Cluster analysis, Hierarchical cluster analysis applied to workers' exposures in fiberglass insulation manufacturing 43–55
Coal dust, Mechanisms and mediators in coal dust induced toxicity: a review 7–33
Collagens, Mechanisms and mediators in coal dust induced toxicity: a review 7–33
Compensation
1998 and beyond - Legge's legacy to modern occupational health 1–6
An expert system for the evaluation of historical asbestos exposure as diagnostic criterion in asbestos-related diseases 57–66
Construction, Measurements of the effectiveness of dust control on cut-off saws used in the construction industry 443–456
Contact dermatitis, Substitution of organic solvent cleaning agents in the lithographic printing industry 83–90, 429^{L}, 430^{L}
Convection, Clothing convective heat exchange - proposal for improved prediction in standards and models 329–337
Copper, Exposure to preservatives used in the industrial pre-treatment of timber 543–555

CS_2-exposure, Preliminary external quality assessment for the biological monitoring of carbon disulfide with urinary 2-thiothiazolidine-4-carboxylic acid 125–130
Cytokines, Mechanisms and mediators in coal dust induced toxicity: a review 7–33

Dermal absorption, *In vitro* test of nicotine's permeability through human skin. Risk evaluation and safety aspects 405–413
Dermal exposure, Exposure to preservatives used in the industrial pre-treatment of timber 543–555
Derogated products, Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres 493–496[L], 496–498[L]
Developing countries, Occupational hygiene in developing countries: something to talk about? 510–503
Diethylstilbestrol, Endocrine disrupting chemicals and human reproduction: fact or fiction? 435–437
Distribution test, Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry 421–428
Dummy head and torso, Measuring the noise attenuation of shotblasting helmets 471–484
Dust control
Correlation of the exposure to a pollutant with a task-related action or workplace: the CAPTIV system 221–233
Measurements of the effectiveness of dust control on cut-off saws used in the construction industry 443–456
Dustiness, The rotating drum dustiness tester: variability in dustiness in relation to sample mass, testing time, and surface adhesion 557–566
Dust(s)
Comparative personal exposures to organic dusts and endotoxin 107–115
IEH Report on: Approaches to predicting toxicity from occupational exposure to dusts 431–432[b]
Personal exposure to dust, endotoxin and crystalline silica in California agriculture 35–42

Electrical utility workers, Refinements in magnetic field exposure assignment for a case-cohort study of electrical utility workers 485–492
Electromagnetic fields
ELF health effects olympics: invited editorial 217–219
Refinements in magnetic field exposure assignment for a case-cohort study of electrical utility workers 485–492
Empirical models, Identification of determinants of pesticide exposure among Kenyan agricultural workers using empirical modelling 519–525
Endocrine disrupting chemicals, Endocrine disrupting chemicals and human reproduction: fact or fiction? 435–437
Endotoxin
Comparative personal exposures to organic dusts and endotoxin 107–115
Personal exposure to dust, endotoxin and crystalline silica in California agriculture 35–42
Environmental risk factors, Retrospective exposure assessment in large occupational cohort studies in China: advantages and concerns 377–379
Ergonomics, Advances in occupational ergonomics and safety 2 215[b]
Erratum 499
Exposure assessment
Application of mixed models to assess exposures monitored by construction workers during hot processes 457–469
Refinements in magnetic field exposure assignment for a case-cohort study of electrical utility workers 485–492
Retrospective exposure assessment in large occupational cohort studies in China: advantages and concerns 377–379
Exposure correlation, Correlation of the exposure to a pollutant with a task-related action or workplace: the CAPTIV system 221–233
Exposure factors, An investigation of factors contributing to styrene and styrene-7,8-oxide exposures in the reinforced-plastics industry 99–109
Exposure reconstruction, Validation of a new method for structured subjective assessment of past concentrations 235–245
Exposure research, Inventory of recent and ongoing occupational exposure research 498[L]
Extra-low frequency (ELF), The ELF health effects olympics: invited editorial 217–219

Fatty acid esters, Substitution of organic solvent cleaning agents in the lithographic printing industry 83–90, 429[L], 430[L]
Fibre analyser monitor, Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527–541
Fibreglass, Hierarchical cluster analysis applied to workers' exposures in fiberglass insulation manufacturing 43–55
Fibre(s)
Biopersistence and durability of nine mineral fibre types in rat lungs over 12 months 143–153
Evaluation of surface roughness of fibrous minerals by comparison of BET surface area and calculated one 505–511
Influence of characteristics of inhaled fibres on development of tumours in the rat lung 167–179
Influence of fibre length, dissolution and biopersistence on the production of mesothelioma in the rat peritoneal cavity 155–166
Mineral fibre sampling and size selection 117–124
Validation of a new method for structured subjective assessment of past concentrations 235–245
Fibrosis, Chrysotile, tremolite and fibrogenicity 439–442
Filtration, Evaporation of accumulated multicomponent liquids from fibrous filters 181–192; erratum 499
Fit factor, The effects of strapped spectacles on the fit factors of three manufactured brands of

full facepiece negative pressure respirators 193–199
Fit test, Respirator leakage in the pharmaceutical industry of northwest England 513–517
Flame protective clothing, Heat stress and flame protective clothing in mine rescue brigadesmen: inter- and intraindividual variation of strain 357–365
Fume cupboard, Theoretical and practical comparison of the potassium iodide tracer method (KI-Discus) for assessing the containment efficiency of fume cupboards with the gas tracer method described in BS 7258: 1994: Part 4 257–267

Gas tracer, Theoretical and practical comparison of the potassium iodide tracer method (KI-Discus) for assessing the containment efficiency of fume cupboards with the gas tracer method described in BS 7258: 1994: Part 4 257–267
Glass fibre, Hierarchical cluster analysis applied to workers' exposures in fiberglass insulation manufacturing 43–55
Glove, *In vitro* test of nicotine's permeability through human skin. Risk evaluation and safety aspects 405–413

Heat balance, Heat balance when wearing protective clothing 289–296
Heat exchange, Clothing convective heat exchange - proposal for improved prediction in standards and models 329–337
Heat strain, Development of a draft British Standard: the assessment of heat strain for workers wearing personal protective equipment 309–319
Heat stress
Effects of wind and human movement on the heat and vapour transfer properties of clothing 347–352
Heat stress and flame protective clothing in mine rescue brigadesmen: inter- and intraindividual variation of strain 357–365
Heat stress and protective clothing: an emerging approach from the United States 321–327
International standards for the assessment of the risk of thermal strain on clothed workers in hot environments 297–308
Protective clothing and heat stress: introduction 287–288
Role of performance tests, manikins and test houses in defining clothing characteristics relevant to risk assessment 353–356
Heat transfer, Clothing evaporative heat resistance - proposal for improved representation in standards and models 339–346
Helmets, Measuring the noise attenuation of shotblasting helmets 471–484
High performance liquid chromatography, Determination of hydroquinone in air by high performance liquid chromatography 131–141
Historical exposure, Validation of a new method for structured subjective assessment of past concentrations 235–245
Hormone, Endocrine disrupting chemicals and human reproduction: fact or fiction? 435–437
Horticulture, Identification of determinants of pesticide exposure among Kenyan agricultural workers using empirical modelling 519–525
Hot processes, Application of mixed models to assess exposures monitored by construction workers during hot processes 457–469
Housekeeping, Measuring housekeeping in manufacturing industries 91–97
Human heat exchange, The role of performance tests, manikins and test houses in defining clothing characteristics relevant to risk assessment 353–356
Hydroquinone, Determination of hydroquinone in air by high performance liquid chromatography 131–141

India, Occupational exposure to dust in quartz manufacturing industry 269–273
Inhalable wood dust, A field comparison of inhalable and thoracic size selective sampling techniques 381–392
INSPEC, Mineral fibre sampling and size selection 117–124
Insulation
Clothing convective heat exchange - proposal for improved prediction in standards and models 329–337
Heat balance when wearing protective clothing 289–296
International standards
Clothing convective heat exchange - proposal for improved prediction in standards and models 329–337
Clothing evaporative heat resistance - proposal for improved representation in standards and models 339–346
International standards for the assessment of the risk of thermal strain on clothed workers in hot environments 297–308
Role of performance tests, manikins and test houses in defining clothing characteristics relevant to risk assessment 353–356
Intraperitoneal injection, Influence of fibre length, dissolution and biopersistence on the production of mesothelioma in the rat peritoneal cavity 155–166
Isocyanates, Exposure to MDI during the process of insulating buildings with sprayed polyurethane foam 415–419

Kenya, Identification of determinants of pesticide exposure among Kenyan agricultural workers using empirical modelling 519–525
KI-discus, Theoretical and practical comparison of the potassium iodide tracer method (KI-Discus) for assessing the containment efficiency of fume cupboards with the gas tracer method described in BS 7258: 1994: Part 4 257–267

Latex allergy, Evaluation of the quality of surgical gloves among four different manufactures 275–281
Lead, 1998 and beyond - Legge's legacy to modern occupational health 1–6
Legge, Thomas, 1998 and beyond - Legge's legacy to modern occupational health 1–6
Lithographic printing industry, Substitution of organic solvent cleaning agents in the lithographic printing industry 83–90, 429[L], 430[L]
Lumber mill, Determinants of exposure to inhalable particulate, wood dust, resin acids, and monoterpenes in a lumber mill environment 247–255
Lung cancer, Chrysotile, tremolite and fibrogenicity 439–442

Lung tumours, Influence of characteristics of inhaled fibres on development of tumours in the rat lung 167–179

Man-made mineral fibre, Validation of a new method for structured subjective assessment of past concentrations 235–245
Manganese, Application of mixed models to assess exposures monitored by construction workers during hot processes 457–469
Manufacturing industries, Measuring housekeeping in manufacturing industries 91–97
MDI, Exposure to MDI during the process of insulating buildings with sprayed polyurethane foam 415–419
Mesothelioma
Chrysotile, tremolite and fibrogenicity 439–442
Influence of fibre length, dissolution and biopersistence on the production of mesothelioma in the rat peritoneal cavity 155–166
Metalworking fluids, Evaporation of accumulated multicomponent liquids from fibrous filters 181–192; erratum 499
Methylene-bis (4-phenylisocyanate) (MDI), Exposure to MDI during the process of insulating buildings with sprayed polyurethane foam 415–419
Mine rescue, Heat stress and flame protective clothing in mine rescue brigadesmen: inter- and intraindividual variation of strain 357–365
Mixed models, Application of mixed models to assess exposures monitored by construction workers during hot processes 457–469
Monoterpenes, Determinants of exposure to inhalable particulate, wood dust, resin acids, and monoterpenes in a lumber mill environment 247–255
Murray, Bob, Obituary 283

Nicotine, *In vitro* test of nicotine's permeability through human skin. Risk evaluation and safety aspects 405–413
Noise attenuation, Measuring the noise attenuation of shotblasting helmets 471–484
Normal distribution, Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry 421–428
Norway, Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry 421–428

Obituary
Dr Bob Murray 283
Professor Richard Schilling 77
Obstructive lung disease, Mechanisms and mediators in coal dust induced toxicity: a review 7–33
Occupational cohort studies, Retrospective exposure assessment in large occupational cohort studies in China: advantages and concerns 377–379
Occupational contact dermatitis, Substitution of organic solvent cleaning agents in the lithographic printing industry 83–90, 429[L], 430[L]
Occupational exposure
Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry 421–428
Field comparison of inhalable and thoracic size selective sampling techniques 381–392
IEH Report on: Approaches to predicting toxicity from occupational exposure to dusts 431–432[b]
Inventory of recent and ongoing occupational exposure research 498[L]
Occupational health, A challenging life: sixty years in occupational health 79[b]
Occupational hygiene, Occupational hygiene in developing countries: something to talk about? 510–503
Oil mist, Evaporation of accumulated multicomponent liquids from fibrous filters 181–192; erratum 499
Organic dust, Comparative personal exposures to organic dusts and endotoxin 107–115
Organic solvent cleaning agents, Substitution of organic solvent cleaning agents in the lithographic printing industry 83–90, 429[L], 430[L]

Particulates, Application of mixed models to assess exposures monitored by construction workers during hot processes 457–469
Permeability, *In vitro* test of nicotine's permeability through human skin. Risk evaluation and safety aspects 405–413
Permethrin, Exposure to preservatives used in the industrial pre-treatment of timber 543–555
Personal protective equipment, Development of a draft British Standard: the assessment of heat strain for workers wearing personal protective equipment 309–319
Personal samplers, Field testing of a personal size-selective bioaerosol sampler 393–404
Pesticides
Exposure to preservatives used in the industrial pre-treatment of timber 543–555
Identification of determinants of pesticide exposure among Kenyan agricultural workers using empirical modelling 519–525
Pharmaceuticals, Respirator leakage in the pharmaceutical industry of northwest England 513–517
Pneumoconiosis, Mechanisms and mediators in coal dust induced toxicity: a review 7–33
Polyurethane foam, Exposure to MDI during the process of insulating buildings with sprayed polyurethane foam 415–419
Porous foams, Field testing of a personal size-selective bioaerosol sampler 393–404
Potassium iodide tracer, Theoretical and practical comparison of the potassium iodide tracer method (KI-Discus) for assessing the containment efficiency of fume cupboards with the gas tracer method described in BS 7258: 1994: Part 4 257–267
Potassium titanate, Evaluation of surface roughness of fibrous minerals by comparison of BET surface area and calculated one 505–511
Printing industry, Substitution of organic solvent cleaning agents in the lithographic printing industry 83–90, 429[L], 430[L]
Proteases, Mechanisms and mediators in coal dust induced toxicity: a review 7–33
Protective clothing
Clothing convective heat exchange - proposal for improved prediction in standards and models 329–337
Clothing evaporative heat resistance - proposal for improved representation in standards and models 339–346

Development of a draft British Standard: the assessment of heat strain for workers wearing personal protective equipment 309–319
Effects of wind and human movement on the heat and vapour transfer properties of clothing 347–352
Heat balance when wearing protective clothing 289–296
Heat stress and flame protective clothing in mine rescue brigadesmen: inter- and intraindividual variation of strain 357–365
Heat stress and protective clothing: an emerging approach from the United States 321–327
International standards for the assessment of the risk of thermal strain on clothed workers in hot environments 297–308
Protective clothing and heat stress: introduction 287–288
Role of performance tests, manikins and test houses in defining clothing characteristics relevant to risk assessment 353–356
Strategy for evaluation and prevention of risk due to work in thermal environments 367–376
Pulmonary biopersistence, Biopersistence and durability of nine mineral fibre types in rat lungs over 12 months 143–153

Quality control, Preliminary external quality assessment for the biological monitoring of carbon disulfide with urinary 2-thiothiazolidine-4-carboxylic acid 125–130
Quantitative fit tests, The effects of strapped spectacles on the fit factors of three manufactured brands of full facepiece negative pressure respirators 193–199
Quarrying, Occupational exposure to dust in quartz manufacturing industry 269–273
Quartz, Occupational exposure to dust in quartz manufacturing industry 269–273
Quasi log-normality, Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry 421–428
Quebec, Chrysotile, tremolite and fibrogenicity 439–442

Ranking exposures, Computational method for ranking task-specific exposures using multi-task time-weighted average samples 201–213
Reactive oxygen species, Mechanisms and mediators in coal dust induced toxicity: a review 7–33
Rectal temperature, Heat stress and flame protective clothing in mine rescue brigadesmen: inter- and intraindividual variation of strain 357–365
Reinforced plastics, An investigation of factors contributing to styrene and styrene-7,8-oxide exposures in the reinforced-plastics industry 99–109
Reproduction, Endocrine disrupting chemicals and human reproduction: fact or fiction? 435–437
Rescue, Heat stress and flame protective clothing in mine rescue brigadesmen: inter- and intraindividual variation of strain 357–365
Resin acids, Determinants of exposure to inhalable particulate, wood dust, resin acids, and monoterpenes in a lumber mill environment 247–255
Respirable dust, Measurements of the effectiveness of dust control on cut-off saws used in the construction industry 443–456
Respirator fit testing, The effects of strapped spectacles on the fit factors of three manufactured brands of full facepiece negative pressure respirators 193–199
Respirator leakage, Respirator leakage in the pharmaceutical industry of northwest England 513–517
Risk assessment, Strategy for evaluation and prevention of risk due to work in thermal environments 367–376
Rotating drum, The rotating drum dustiness tester: variability in dustiness in relation to sample mass, testing time, and surface adhesion 557–566
RPE, Respirator leakage in the pharmaceutical industry of northwest England 513–517

Safety, Advances in occupational ergonomics and safety 2 215[b]
Sampling strategy, Computational method for ranking task-specific exposures using multi-task time-weighted average samples 201–213
Saws, Measurements of the effectiveness of dust control on cut-off saws used in the construction industry 443–456
Schilling, Professor Richard
A challenging life: sixty years in occupational health 79[b]
Obituary 77
Shotblasting, Measuring the noise attenuation of shotblasting helmets 471–484
Silica
Measurements of the effectiveness of dust control on cut-off saws used in the construction industry 443–456
Occupational exposure to dust in quartz manufacturing industry 269–273
Personal exposure to dust, endotoxin and crystalline silica in California agriculture 35–42
Silicon carbide, Evaluation of surface roughness of fibrous minerals by comparison of BET surface area and calculated one 505–511
Size-selective sampling, Field testing of a personal size-selective bioaerosol sampler 393–404
Size-separation, Mineral fibre sampling and size selection 117–124
Skewness, Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry 421–428
Solvent, Substitution of organic solvent cleaning agents in the lithographic printing industry 83–90, 429[L], 430[L]
Spectacles, The effects of strapped spectacles on the fit factors of three manufactured brands of full facepiece negative pressure respirators 193–199
Spray foam, Exposure to MDI during the process of insulating buildings with sprayed polyurethane foam 415–419
Spray-painting, Modeling breathing-zone concentrations of airborne contaminants generated during compressed air spray painting 67–76
Sprayers, Identification of determinants of pesticide exposure among Kenyan agricultural workers using empirical modelling 519–525

Styrene, An investigation of factors contributing to styrene and styrene-7,8-oxide exposures in the reinforced-plastics industry 99–109
Surface adhesion, The rotating drum dustiness tester: variability in dustiness in relation to sample mass, testing time, and surface adhesion 557–566
Surface roughness, Evaluation of surface roughness of fibrous minerals by comparison of BET surface area and calculated one 505–511
Surgical gloves, Evaluation of the quality of surgical gloves among four different manufactures 275–281

Taiwan, Evaluation of the quality of surgical gloves among four different manufactures 275–281
Task specific exposures, Computational method for ranking task-specific exposures using multi-task time-weighted average samples 201–213
Thermal conditions, Strategy for evaluation and prevention of risk due to work in thermal environments 367–376
Thermal indices, Strategy for evaluation and prevention of risk due to work in thermal environments 367–376
Thermal strain
International standards for the assessment of the risk of thermal strain on clothed workers in hot environments 297–308
see also Heat stress
2-Thiothiazolidine-4-carboxylic acid, Preliminary external quality assessment for the biological monitoring of carbon disulfide with urinary 2-thiothiazolidine-4-carboxylic acid 125–130
Thoracic wood dust sample, A field comparison of inhalable and thoracic size selective sampling techniques 381–392
Threshold limit value, Heat stress and protective clothing: an emerging approach from the United States 321–327
Timber preservatives, Exposure to preservatives used in the industrial pre-treatment of timber 543–555
Tobacco, Identification of determinants of pesticide exposure among Kenyan agricultural workers using empirical modelling 519–525
Toxicity, IEH Report on: Approaches to predicting toxicity from occupational exposure to dusts 431–432
Tremolite, Chrysotile, tremolite and fibrogenicity 439–442

United States of America, Heat stress and protective clothing: an emerging approach from the United States 321–327
Upper limb disorders, 1998 and beyond - Legge's legacy to modern occupational health 1–6

Vapour transfer
Clothing evaporative heat resistance - proposal for improved representation in standards and models 339–346
Effects of wind and human movement on the heat and vapour transfer properties of clothing 347–352
Vitreous
Biopersistence and durability of nine mineral fibre types in rat lungs over 12 months 143–153
Influence of characteristics of inhaled fibres on development of tumours in the rat lung 167–179
Influence of fibre length, dissolution and biopersistence on the production of mesothelioma in the rat peritoneal cavity 155–166

Whiskers, Evaluation of surface roughness of fibrous minerals by comparison of BET surface area and calculated one 505–511
Wind, The effects of wind and human movement on the heat and vapour transfer properties of clothing 347–352
Wood dust
Determinants of exposure to inhalable particulate, wood dust, resin acids, and monoterpenes in a lumber mill environment 247–255
Field comparison of inhalable and thoracic size selective sampling techniques 381–392

AUTHOR INDEX

b = Book review; *L* = Letter to the Editor; *sc* = Short Communication

PII: S003-4878(99)00097-6

Addison, J. 496^{L}

Bartlett, I.W. 83, 429^{L}
Bernard, T.E. 321
Besson, P. 527
Blazicko, B.A. 67
Boleij, J.S.M. 519
Bolton, R.E. 155
Borm, P.J.A. 7, 431^{b}
Bowry, A. 393
Braeckman, L. 125
Brand, F. 221
Bresser, G. 357
Breum, N.O. 557
Brown, R.C. 443
Buchanan, D. 143, 155, 167
Bulat, P. 125
Burdorf, A. 57, 435
Burgess, G.L. 513

Cai, J. 485
Carlton, G.N. 67
Carter, T. 79^{b}
Cherrie, J.W. 235, 498^{L}
Clark, R.P. 257
Crespo, J. 415
Crockford, G.W. 287
Crook, B. 393
Cullen, R.T. 143, 155, 167

Daemen, E. 125
Dalton, A.J.P. 83
Davies, H.W. 247, 381
Davis, J.M.G. 155, 167
de Bacquer, D. 125
de Calcina-Goff, M. 257
Demers, P.A. 247, 381
den Hartog, E.A. 339
Donaldson, K. 155, 167
Dosemeci, M. 377
Du Toit, R.S.J. 285^{L}
Dufort, V. 485
Dufort, V.M. 91
Dunn, K.H. 67

Esmen, N.A. 201

Fletcher, A.M. 107
Flynn, M.R. 67
Francis, H.C. 107
Fulekar, M.H. 269

Galán, J. 415
Garrod, A.N.I. 543
Gatano, B.L. 67
Gebhardt, H.J. 367
Giacomelli, G.M. 117
Gibson, M.J. 443
Groves, J.A. 131
Guyot, F. 527

Hammond, S.K. 43
Hanson, M.A. 309
Hardgrove, R. 193
Harrington, J.M. 1
Havenith, G. 289, 329, 339, 347
Héroux, P. 217
Holmér, I. 329, 339, 347, 353
Howie, R.M. 493^{L}
Hughes, J.M. 439
Hwang, K.-L. 275

Infante-Rivard, C. 91
Irving, F. 471

Jones, A.D. 143, 167

Kampmann, B. 357
Karumba, P.N. 519
Kennedy, S.M. 247
Kenny, L.C. 393
Kleckner, R.C. 485
Kohyama, N. 505
Kou, S.-J. 275
Kromhout, H. 485, 501, 519
Kupper, L. 457
Kupper, L.L. 99
Kuylenstierna, F. 405

Lalanne, F.X. 527
Leith, D. 181, 499
Leung, V. 247
Loomis, D. 485
Lovesey, E.J. 215^{b}
Lu, Y.-M. 275

McDonald, A.D. 439
McDonald, J.C. 439
McGuinness, A. 83
McKernan, J.L. 67
Malchaire, J. 347, 367
Marion, S.A. 247
Martin, P. 221
Martinez, M. 543
Mashingaidze, M.T. 513
Mihlan, G. 485
Miller, B.G. 143, 155, 167
Milton, D.K. 43
Money, C. 498^{L}
Morigi, M.P. 117

Nicholson, G.P. 257
Nieuwenhuijsen, M.J. 35
Nilsson, H. 329, 347
Niven, R.McL. 107
Noderer, K.S. 35
Norman, J.B. 193
Nylander-French, L.A. 99, 485

Ohayo-Mitoko, G.J.A. 519
Oldham, L.A. 107

Olenchock, S. 35
Ono-Ogasawara, M. 505
Osvoll, P.O. 421

Packham, C. 429^{L}
Palmer, H. 83
Parsons, K. 329
Parsons, K.C. 297, 339, 347
Patel, J. 471
Pearson, J. 543
Phillips, M.L. 201
Pickering, C.A.C. 107
Piette, A. 367
Prodi, V. 117
Proud, A. 543

Rappaport, S.M. 99, 457
Raynor, P.C. 181, 499
Rimmer, D.A. 543
Ritchie, A.S. 443
Rossi, R.J. 193

Savitz, D.A. 485
Schenker, M.B. 35
Schins, R.P.F. 7
Schneider, T. 235
Scobbie, E. 131
Searl, A. 143, 155, 167
Servais, M. 221
Simpson, J.C.G. 107
Soutar, C.A. 143, 155, 167
Spear, R.C. 43
Spear, T.M. 193
Stancliffe, J.D. 393
Susi, P. 457
Swuste, P. 57

Taylor, D. 457
Teschke, K. 247, 381
Thorpe, A. 443
Thulin, H. 405

Vallyathan, V. 35
van Risseghem, M. 125
van Wijngaarden, E. 485
Vanhoorne, M. 125

Wang, Y. 527
Weaver, M. 457
Woldbæk, T. 421
Wu, J.-D. 43
Wulf, D.T. 193

Yang, N.-C. 275

Zorin, S. 405